

PRODUCT CHANGE NOTICE

PCN Form (D4-E000-73)

PCN#21-019

NOTIFICATION DATE: June 15, 2021

MODELS AFFECTED:

LFCG Series (See below for specific models)

EXTENT OF CHANGE:

Change of specified power

Model Name	Current Specifications:		Revised Specifications:	
	Max power at 25 °C	De-rated power	Max power at 25 °C	De-rated power
LFCG-320+	5W	2.5W at 85 °C	3.5W	0.6W at 125 °C
LFCG-400+	5W	2.5W at 85 °C	3.5W	0.6W at 125 °C
LFCG-490+	3W	1.2W at 100 °C	3.5W	0.9W at 125 °C
LFCG-530+	5W	2.5W at 85 °C	3.5W	0.6W at 125 °C
LFCG-575+	5W	2.5W at 85 °C	3.5W	0.6W at 125 °C
LFCG-630+	3W	1.2W at 100 °C	3.5W	0.8W at 125 °C
LFCG-900+	6W	3W at 85 °C	4.5W	1.1W at 125 °C
LFCG-1000+	6W	3W at 85 °C	5.5W	1W at 125 °C
LFCG-1200+	6W	3W at 85 °C	5.5W	1W at 125 °C
LFCG-1200-2+	6W	3W at 85 °C	5.5W	1W at 125 °C
LFCG-1200D-1+	6W	3W at 85 °C	5.5W	1W at 125 °C
LFCG-1325+	6W	3W at 100 °C	5.5W	1W at 125 °C
LFCG-1400+	6W	3W at 85 °C	5.5W	1W at 125 °C
LFCG-1400=	6W	3W at 85 °C	5.5W	1W at 125 °C
LFCG-1400D-1+	6W	3W at 85 °C	5.5W	1W at 125 °C
LFCG-1525+	5W	2.5W at 100 °C	5.5W	1W at 125 °C
LFCG-1575+	5W	2.5W at 85 °C	5.5W	1W at 125 °C
LFCG-1575-2+	5W	2.5W at 85 °C	5.5W	1W at 125 °C
LFCG-1700+	5W	2.5W at 85 °C	5.5W	1W at 125 °C
LFCG-1700=	5W	2.5W at 85 °C	5.5W	1W at 125 °C
LFCG-1700-2+	5W	2.5W at 85 °C	5.5W	1W at 125 °C
LFCG-1800+	6W	3W at 85 °C	5.5W	1W at 125 °C
LFCG-1800-2+	6W	3W at 85 °C	5.5W	1W at 125 °C
LFCG-2000+	6W	3W at 100 °C	5.5W	1W at 125 °C
LFCG-2250-4+	5W	2.5W at 85 °C	4.5W	1W at 125 °C
LFCG-2850-1	6.5W	3.25W at 85 °C	4.5W	1W at 125 °C
LFCG-3000-4	6W	3W at 85 °C	4.5W	1W at 125 °C

PRODUCT CHANGE NOTICE PCN Form (D4-E000-73)

Attachment to **PCN#21-019**

EFFECT OF CHANGE:

No change to **FORM** (appearance) or **FIT** (dimension), Change to **FUNCTION** (performance)

REASON FOR CHANGE:

Change of Max Power and Derating specification to more conservative values based on recent data review.

EFFECTIVE DATE OF CHANGE:

Immediate

ATTACHMENTS:

N/A

QUESTIONS? [PLEASE CONTACT US.](#)