










NEURO CONNECTORS

Neuroscientists around the world are making great strides in unlocking the mysteries of the brain. This research is crucial in developing treatments for a plethora of neurological disorders. Omnetics is doing its part to assist the neuro world in search for answers. Omnetics offers standards in 9, 18 and 36 position strip nano connectors, as well as 6, 11, 16 and 28 position nano circulars. Omnetics has been used on multi-channel head stages for over a decade worldwide. As the Neuro-Technology industry grows, Omnetics continues to adapt and support the neurological research groups, in hopes of understanding exactly how the brain and peripheral nervous system works.

Nano Strip Connectors

[Click on Part Number to Buy Now or Backorder](#)


	<p>Part Number : A79000-001</p> <ul style="list-style-type: none"> NPS-09-DD-GS 9 Position Single Row Male Nano-Miniature (.025"/.64mm) Connector. Featuring 2 Guide Posts and Straight Thru-Hole Tails. <p>PDF: A79000-001</p>		<p>Part Number : A79001-001</p> <ul style="list-style-type: none"> NSS-09-DD-GS 9 Position Single Row Female Nano-Miniature (.025"/.64mm) Connector. Featuring 2 Guide Posts Holes and Straight Thru-Hole Tails. <p>PDF: A79001-001</p>
	<p>Part Number : A79002-001</p> <ul style="list-style-type: none"> NPS-09-AA-GS 9 Position Single Row Male Nano-Miniature (.025"/.64mm) Connector. Featuring 2 Guide Posts and Horizontal Surface Mount Tails. <p>PDF: A79002-001</p>		<p>Part Number : A79003-001</p> <ul style="list-style-type: none"> NSS-09-AA-GS 9 Position Single Row Female Nano-Miniature (.025"/.64mm) Connector. Featuring 2 Guide Posts and Horizontal Surface Mount Tails. <p>PDF: A79003-001</p>
	<p>Part Number : A79004-001</p> <ul style="list-style-type: none"> NPS-09-WD-18.0-C-GS 9 Position Single Row Male Nano-Miniature (.025"/.64mm) Connector. Featuring 2 Guide Posts and 18" 34 AWG lead-wire. <p>PDF: A79004-001</p>		<p>Part Number : A79005-001</p> <ul style="list-style-type: none"> NSS-09-WD-18.0-C-GS 9 Position Single Row Female Nano-Miniature (.025"/.64mm) Connector. Featuring 2 Guide Posts Holes and 18" 34 AWG lead-wire. <p>PDF: A79005-001</p>
	<p>Part Number : A79006-001</p> <ul style="list-style-type: none"> NPD-18-DD-GS 18 Position Dual Row Male Nano-Miniature (.025"/.64mm) Connector. Featuring 4 Guide Posts and Straight Thru-Hole Tails. <p>PDF: A79006-001</p>		<p>Part Number : A79007-001</p> <ul style="list-style-type: none"> NSD-18-DD-GS 18 Position Dual Row Female Nano-Miniature (.025"/.64mm) Connector. Featuring 4 Guide Posts Holes and Straight Thru-Hole Tails. <p>PDF: A79007-001</p>



Part Number : **A79008-001**

- NPD-18-AA-GS
- 18 Position Dual Row Male Nano-Miniature (.025"/.64mm) Connector.
- Featuring 4 Guide Posts and Horizontal Surface Mount Tails.

• PDF: [A79008-001](#)



Part Number : **A79009-001**

- NSD-18-AA-GS
- 18 Position Dual Row Female Nano-Miniature (.025"/.64mm) Connector.
- Featuring 4 Guide Posts Holes and Horizontal Surface Mount Tails.


• PDF: [A79009-001](#)



Part Number : **A79010-001**

- NPD-18-VV-GS
- 18 Position Dual Row Male Nano-Miniature (.025"/.64mm) Connector.
- Featuring 4 Guide Posts and Vertical Surface Mount Tails.

• PDF: [A79010-001](#)



Part Number : **A79011-001**

- NSD-18-VV-GS
- 18 Position Dual Row Female Nano-Miniature (.025"/.64mm) Connector.
- Featuring 4 Guide Posts and Vertical Surface Mount Tails.

• PDF: [A79011-001](#)



Part Number : **A79012-001**

- NPD-18-WD-18.0-C-GS
- 18 Position Dual Row Male Nano-Miniature (.025"/.64mm) Connector.
- Featuring 4 Guide Posts and 18.0" 34 AWG lead-wire.


• PDF: [A79012-001](#)



Part Number : **A79013-001**

- NSD-18-WD-18.0-C-GS
- 18 Position Dual Row Female Nano-Miniature (.025"/.64mm) Connector.
- Featuring 4 Guide Posts Holes and 18.0" 34 AWG lead-wire.

• PDF: [A79013-001](#)



Part Number : **A79014-001**

- NPD-18-DD-GS
- 18 Position Dual Row Male Nano-Miniature (.025"/.64mm) Connector.
- Featuring 6 Guide Posts and Straight Thru-Hole Tails.

• PDF: [A79014-001](#)



Part Number : **A79015-001**

- NSD-18-DD-GS
- 18 Position Dual Row Female Nano-Miniature (.025"/.64mm) Connector.
- Featuring 6 Guide Posts Holes and Straight Thru-Hole Tails.


• PDF: [A79015-001](#)



Part Number : **A79016-001**

- NPD-18-AA-GS
- 18 Position Dual Row Male Nano-Miniature (.025"/.64mm) Connector.
- Featuring 6 Guide Posts and Horizontal Surface Mount Tails.

• PDF: [A79016-001](#)



Part Number : **A79017-001**

- NSD-18-AA-GS
- 18 Position Dual Row Female Nano-Miniature (.025"/.64mm) Connector.
- Featuring 6 Guide Posts Holes and Horizontal Surface Mount Tails.

• PDF: [A79017-001](#)



Part Number : **A79018-001**

- NPD-18-VV-GS
- 18 Position Dual Row Male Nano-Miniature (.025"/.64mm) Connector.
- Featuring 6 Guide Posts and Vertical Surface Mount Tails.

• PDF: [A79018-001](#)



Part Number : **A79019-001**

- NSD-18-VV-GS
- 18 Position Dual Row Female Nano-Miniature (.025"/.64mm) Connector.
- Featuring 6 Guide Posts Holes and Vertical Surface Mount Tails.



Part Number : **A79020-001**

- NPD-18-WD-18.0-C-GS
- 18 Position Dual Row Male Nano-Miniature (.025"/.64mm) Connector.
- Featuring 6 Guide Posts and 18.0" 34 AWG lead-wire.
- PDF: [A79020-001](#)

• PDF: [A79019-001](#)



Part Number : **A79021-001**

- NSD-18-WD-18.0-C-GS
- 18 Position Dual Row Female Nano-Miniature (.025"/.64mm) Connector.
- Featuring 6 Guide Posts Holes and 18.0" 34 AWG lead-wire.
- PDF: [A79021-001](#)



Part Number : **A79022-001**

- NPD-36-DD-GS
- 36 Position Dual Row Male Nano-Miniature (.025"/.64mm) Connector.
- Featuring 4 Guide Posts and Straight Thru-Hole Tails.
- PDF: [A79022-001](#)

Part Number : **A79023-001**

- NSD-36-DD-GS
- 36 Position Dual Row Female Nano-Miniature (.025"/.64mm) Connector.
- Featuring 4 Guide Posts Holes and Straight Thru-Hole Tails.
- PDF: [A79023-001](#)



Part Number : **A79024-001**

- NPD-36-AA-GS
- 36 Position Dual Row Male Nano-Miniature (.025"/.64mm) Connector.
- Featuring 4 Guide Posts and Horizontal Surface Mount Tails.
- PDF: [A79024-001](#)

Part Number : **A79025-001**

- NSD-36-AA-GS
- 36 Position Dual Row Female Nano-Miniature (.025"/.64mm) Connector.
- Featuring 4 Guide Posts Holes and Horizontal Surface Mount Tails.
- PDF: [A79025-001](#)



Part Number : **A79026-001**

- NPD-36-VV-GS
- 36 Position Dual Row Male Nano-Miniature (.025"/.64mm) Connector.
- Featuring 4 Guide Posts and Vertical Surface Mount Tails.
- PDF: [A79026-001](#)

Part Number : **A79027-001**

- NSD-36-VV-GS
- 36 Position Dual Row Female Nano-Miniature (.025"/.64mm) Connector.
- Featuring 4 Guide Posts Holes and Vertical Surface Mount Tails.
- PDF: [A79027-001](#)



Part Number : **A79028-001**

- NPD-36-WD-18.0-C-GS
- 36 Position Dual Row Male Nano-Miniature (.025"/.64mm) Connector.
- Featuring 4 Guide Posts and 18.0" 34 AWG lead-wire.
- PDF: [A79028-001](#)

Part Number : **A79029-001**

- NSD-36-WD-18.0-C-GS
- 36 Position Dual Row Female Nano-Miniature (.025"/.64mm) Connector.
- Featuring 4 Guide Posts Holes and 18.0" 34 AWG lead-wire.
- PDF: [A79029-001](#)



Part Number : **A79030-001**

- NPD-36-DD-GS
- 36 Position Dual Row Male Nano-Miniature (.025"/.64mm) Connector.
- Featuring 6 Guide Posts and Straight Thru-Hole Tails.

Part Number : **A79031-001**

- NSD-36-DD-GS
- 36 Position Dual Row Female Nano-Miniature (.025"/.64mm)


- PDF:  [A79030-001](#)



- Connector.
- Featuring 6 Guide Posts Holes and Straight Thru-Hole Tails.

- PDF:  [A79031-001](#)

Part Number : **A79032-001**



- NPD-36-AA-GS
- 36 Position Dual Row Male Nano-Miniature (.025"/.64mm) Connector.
- Featuring 6 Guide Posts and Horizontal Surface Mount Tails.

- PDF:  [A79032-001](#)


Part Number : **A79034-001**



- NPD-36-VV-GS
- 36 Position Dual Row Male Nano-Miniature (.025"/.64mm) Connector.
- Featuring 6 Guide Posts and Vertical Surface Mount Tails.

- PDF:  [A79034-001](#)

Part Number : **A79036-001**



- NPD-36-WD-18.0-C-GS
- 36 Position Dual Row Male Nano-Miniature (.025"/.64mm) Connector.
- Featuring 6 Guide Posts and 18.0" 34 AWG lead-wire.

- PDF:  [A79036-001](#)


Part Number : **A79038-001**



- NPD-18-DD-GS
- 18 Position Dual Row Male Nano-Miniature (.025"/.64mm) Connector.
- Featuring 2 Guide Posts and Straight Thru-Hole Tails.

- PDF:  [A79038-001](#)

Part Number : **A79040-001**



- NPD-18-AA-GS
- 18 Position Dual Row Male Nano-Miniature (.025"/.64mm) Connector.
- Featuring 2 Guide Posts and Horizontal Surface Mount Tails.


- PDF:  [A79040-001](#)

Part Number : **A79042-001**



- NPD-18-VV-GS
- 18 Position Dual Row Male Nano-Miniature (.025"/.64mm) Connector.

Part Number : **A79041-001**




- NSD-18-AA-GS
- 18 Position Dual Row Female Nano-Miniature (.025"/.64mm) Connector.
- Featuring 2 Guide Posts Holes and Horizontal Surface Mount Tails.


- PDF:  [A79041-001](#)



- Featuring 2 Guide Posts and Vertical Surface Mount Tails.
- PDF: [A79042-001](#)



- Part Number : **A79043-001**
- NSD-18-VV-GS
 - 18 Position Dual Row Female Nano-Miniature (.025"/.64mm) Connector.
 - Featuring 2 Guide Posts Holes and Vertical Surface Mount Tails.
 - PDF: [A79043-001](#)



- Part Number : **A79044-001**
- NPД-18-WD-18.0-C-GS
 - 18 Position Dual Row Male Nano-Miniature (.025"/.64mm) Connector.
 - Featuring 2 Guide Posts and 18.0" 34 AWG lead-wire.
 - PDF: [A79044-001](#)



- Part Number : **A79045-001**
- NSD-18-WD-18.0-C-GS
 - 18 Position Dual Row Female Nano-Miniature (.025"/.64mm) Connector.
 - Featuring 2 Guide Posts Holes and 18.0" 34 AWG lead-wire.
 - PDF: [A79045-001](#)



- Part Number : **A79046-001**
- NPД-36-DD-GS
 - 36 Position Dual Row Male Nano-Miniature (.025"/.64mm) Connector.
 - Featuring 2 Guide Posts and Straight Thru-Hole Tails.
 - PDF: [A79046-001](#)



- Part Number : **A79047-001**
- NSD-36-DD-GS
 - 36 Position Dual Row Female Nano-Miniature (.025"/.64mm) Connector.
 - Featuring 2 Guide Posts Holes and Straight Thru-Hole Tails.
 - PDF: [A79047-001](#)



- Part Number : **A79048-001**
- NPД-36-AA-GS
 - 36 Position Dual Row Male Nano-Miniature (.025"/.64mm) Connector.
 - Featuring 2 Guide Posts and Horizontal Surface Mount Tails.
 - PDF: [A79048-001](#)




- Part Number : **A79049-001**
- NSD-36-AA-GS
 - 36 Position Dual Row Female Nano-Miniature (.025"/.64mm) Connector.
 - Featuring 2 Guide Posts Holes and Horizontal Surface Mount Tails.
 - PDF: [A79049-001](#)




- Part Number : **A79050-001**
- NPД-36-VV-GS
 - 36 Position Dual Row Male Nano-Miniature (.025"/.64mm) Connector.
 - Featuring 2 Guide Posts and Vertical Surface Mount Tails.
 - PDF: [A79050-001](#)



- Part Number : **A79051-001**
- NSD-36-VV-GS
 - 36 Position Dual Row Female Nano-Miniature (.025"/.64mm) Connector.
 - Featuring 2 Guide Posts Holes and Vertical Surface Mount Tails.
 - PDF: [A79051-001](#)



- Part Number : **A79052-001**
- NPД-36-WD-18.0-C-GS
 - 36 Position Dual Row Male Nano-Miniature (.025"/.64mm) Connector.
 - Featuring 2 Guide Posts and 18.0" 34 AWG lead-wire.
 - PDF: [A79052-001](#)



- Part Number : **A79053-001**
- NSD-36-WD-18.0-C-GS
 - 36 Position Dual Row Female Nano-Miniature (.025"/.64mm) Connector.
 - Featuring 2 Guide Posts Holes and 18.0" 34 AWG lead-wire.
 - PDF