


METAL MICRO-D BOARD MOUNT LAYOUT


METAL MICRO-D HORIZONTAL SURFACE MOUNT (HO)



CONTACTS	ROWS	"B"	"E"	"F"
9	2	.565 [14.35]	8	.200 [5.08]
15	2	.715 [18.16]	14	.350 [8.89]
21	2	.865 [21.97]	20	.500 [12.70]
25	2	.965 [24.51]	24	.600 [15.24]
31	2	1.115 [28.32]	30	.750 [19.05]
37	2	1.265 [32.13]	36	.900 [22.86]
51	2	1.615 [41.02]	50	1.250 [31.75]

DIMENSIONS IN [] ARE IN MILLIMETERS AND ARE FOR REFERENCE ONLY


METAL MICRO-D VERTICAL SURFACE MOUNT (VV)




CONTACTS	ROWS	"B"	"F"	"G"	"H"
9	2	.565 [14.35]	4	.200 [5.08]	.325 [8.26]
15	2	.715 [18.16]	7	.350 [8.89]	.400 [10.16]
21	2	.865 [21.97]	10	.500 [12.70]	.475 [12.07]
25	2	.965 [24.51]	12	.600 [15.24]	.525 [13.34]
31	2	1.115 [28.32]	15	.750 [19.05]	.600 [15.24]
37	2	1.265 [32.13]	18	.900 [22.86]	.675 [17.15]
51	2	1.615 [41.02]	25	1.250 [31.75]	.850 [21.59]

DIMENSIONS IN [] ARE IN MILLIMETERS AND ARE FOR REFERENCE ONLY

METAL MICRO-D CARD EDGE SURFACE MOUNT (CO)



BOTTOM OF BOARD




TOP OF BOARD



CONTACTS	ROWS	"E"	"F"	"B"	"G"	"H"
9	2	4	3	.565 [14.35]	.200 [5.08]	.150 [3.81]
15	2	7	6	.715 [18.16]	.350 [8.89]	.300 [7.62]
21	2	10	9	.865 [21.97]	.500 [12.70]	.450 [11.43]
25	2	12	11	.965 [24.51]	.600 [15.24]	.550 [13.97]
31	2	15	14	1.115 [28.32]	.750 [19.05]	.700 [17.78]
37	2	18	17	1.265 [32.13]	.900 [22.86]	.850 [21.59]
51	2	25	24	1.615 [41.02]	1.250 [31.75]	1.200 [30.48]

DIMENSIONS IN [] ARE IN MILLIMETERS AND ARE FOR REFERENCE ONLY

METAL MICRO-D FLEX TAIL (FF)



BOTTOM OF BOARD









TOP OF BOARD

CONTACTS	ROWS	"E"	"F"	"G"	"H"
9	2	4	3	.200 [5.08]	.150 [3.81]
15	2	7	6	.350 [8.89]	.300 [7.62]
21	2	10	9	.500 [12.70]	.450 [11.43]
25	2	12	11	.600 [15.24]	.550 [13.97]
31	2	15	14	.750 [19.05]	.700 [17.78]
37	2	18	17	.900 [22.86]	.850 [21.59]
51	2	25	24	1.250 [31.75]	1.200 [30.48]

DIMENSIONS IN [] ARE IN MILLIMETERS AND ARE FOR REFERENCE ONLY

METAL MICRO-D BOARD MOUNT LAYOUT

METAL MICRO-D STRAIGHT THRU-HOLE (DD)




CONTACTS	ROWS	"B"	"F"	"G"
9	2	.565 [14.35]	4	.200 [5.08]
15	2	.715 [18.16]	7	.350 [8.89]
21	2	.865 [21.97]	10	.500 [12.70]
25	2	.965 [24.51]	12	.600 [15.24]
31	2	1.115 [28.32]	15	.750 [19.05]
37	2	1.265 [32.13]	18	.900 [22.86]
51	2	1.615 [41.02]	25	1.250 [31.75]
51	3	1.215 [30.86]	17	.850 [21.59]
69	3	1.515 [38.48]	23	1.150 [29.21]
100	4	1.800 [45.72]	25	1.250 [31.75]


DIMENSIONS IN [] ARE IN MILLIMETERS AND ARE FOR REFERENCE ONLY

METAL MICRO-D RIGHT ANGLE THRU-HOLE (H2)


2 ROW



3 ROW



4 ROW




CONTACTS	ROWS	"B"	"F"	"G"
9	2	.565 [14.35]	4	.200 [5.08]
15	2	.715 [18.16]	7	.350 [8.89]
21	2	.865 [21.97]	10	.500 [12.70]
25	2	.965 [24.51]	12	.600 [15.24]
31	2	1.115 [28.32]	15	.750 [19.05]
37	2	1.265 [32.13]	18	.900 [22.86]
51	2	1.615 [41.02]	25	1.250 [31.75]
51	3	1.215 [30.86]	17	.850 [21.59]
69	3	1.515 [38.48]	23	1.150 [29.21]
100	4	1.800 [45.72]	25	1.250 [31.75]

DIMENSIONS IN [] ARE IN MILLIMETERS AND ARE FOR REFERENCE ONLY


METAL MICRO-D BOARD MOUNT LAYOUT

METAL MICRO-D NARROW RIGHT ANGLE .100 (SR1)


9 CONTACT
PLUG





9 CONTACT
RECEPTACLE




15 CONTACT
PLUG




15 CONTACT
RECEPTACLE




21 CONTACT
PLUG




21 CONTACT
RECEPTACLE




25 CONTACT
PLUG




25 CONTACT
RECEPTACLE




31 CONTACT
PLUG




31 CONTACT
RECEPTACLE




37 CONTACT
PLUG




37 CONTACT
RECEPTACLE



51 CONTACT
PLUG




51 CONTACT
RECEPTACLE




METAL MICRO-D BOARD MOUNT LAYOUT

METAL SHELL MICRO-D STANDARD VERTICAL BOARD MOUNT .075 (TYPE SV7)


9 CONTACT
PLUG




9 CONTACT
RECEPTACLE




TYPICAL DIMENSIONS



15 CONTACT
PLUG




15 CONTACT
RECEPTACLE




.100 [2.54] TYP
.075 [1.91] TYP
.050 [1.27] TYP
.025 [0.64] TYP
VIEW FROM MOUNTING
SIDE OF BOARD
NOTE MATE ORIENTATION


21 CONTACT
PLUG




21 CONTACT
RECEPTACLE




25 CONTACT
PLUG




25 CONTACT
RECEPTACLE




31 CONTACT
PLUG



31 CONTACT
RECEPTACLE



37 CONTACT
PLUG



37 CONTACT
RECEPTACLE

